

Code: 1080-01

Description: OVAL 10MM, SCREWGATE

Standards EN362:2004/B

UIAA

Strength (gate closed) (kN) 25

Overall Length (mm) 108

Gate Opening (mm) 17

Weight (g) 161

Material Steel

Finish Zinc Plated

Gate Type Screwgate (manual lock)



Globestock Limited, Mile Oak Industrial Estate Maesbury Road, Oswestry, Shropshire, SY10 8GA. UK

T: +44 (0) 1691 654 966 F: +44 (0) 1691 661 726 info@globestock.co.uk www.globestock.co.uk @Globestock_Ltd

PL: 24, Issue: 02. Page 1 of 5. Globestock Ltd reserve the right to change specifications without prior notice. © Globestock 2017.



Code: **070K**

Description: MODIFIED D, TWIST LOCK

Standards EN362:2004/B ANSI Z359.12

Strength (gate closed) (kN) 50

Gate Strength (kN) 16

Overall Length (mm) 114

Gate Opening (mm) 23

Weight (g) 284

Material Steel

Finish Zinc Plated

Gate Type Twist Lock (ANSI)

(locks automatically)



Globestock Limited, Mile Oak Industrial Estate Maesbury Road, Oswestry, Shropshire, SY10 8GA. UK

T: +44 (0) 1691 654 966 F: +44 (0) 1691 661 726 info@globestock.co.uk www.globestock.co.uk @Globestock_Ltd

PL: 24, Issue: 02. Page 2 of 5. Globestock Ltd reserve the right to change specifications without prior notice. © Globestock 2017.



Code: **107K**

Description: HMS, TWIST LOCK

Standard EN362:2004/B

Strength (gate closed) (kN) 35

Overall Length (mm) 125

Gate Opening (mm) 27

Weight (g) 296

Material Steel

Finish Zinc Plated

Gate Type Twist Lock

(locks automatically)

Options Captive Pin



Globestock Limited, Mile Oak Industrial Estate Maesbury Road, Oswestry, Shropshire, SY10 8GA. UK

T: +44 (0) 1691 654 966 F: +44 (0) 1691 661 726 info@globestock.co.uk www.globestock.co.uk @Globestock_Ltd

PL: 24, Issue: 02. Page 3 of 5. Globestock Ltd reserve the right to change specifications without prior notice. © Globestock 2017.



Code: 507-50S

Description: CAPTIVE SWIVEL EYE, TWIST LOCK

Standards EN362:2004 ANSI Z35912

Strength (gate closed) (kN) 40

Gate Strength (kN) 22.5

Overall Length (mm) 168

Gate Opening (mm) 20

Weight (g) 387

Material Steel

Finish Zinc Plated

Gate Type Twist Lock (ANSI)

(locks automatically)

Options Fall Indicator (507-50SI)



Globestock Limited, Mile Oak Industrial Estate Maesbury Road, Oswestry, Shropshire, SY10 8GA. UK

T: +44 (0) 1691 654 966 F: +44 (0) 1691 661 726 info@globestock.co.uk www.globestock.co.uk @Globestock_Ltd

PL: 24, Issue: 02. Page 4 of 5. Globestock Ltd reserve the right to change specifications without prior notice. © Globestock 2017.



Code: 1080-03

Description: SCAFFOLD HOOK, TWIST LOCK

Standards EN362:2004 ANSI Z359.12

Strength (gate closed) (kN) 35

Gate Strength (kN) 16

Overall Length (mm) 237

Gate Opening (mm) 53

Weight (g) 807

Material Steel

Finish Zinc Plated

Gate Type Twist Lock (ANSI)

(locks automatically)

Options Captive Pin



Globestock Limited, Mile Oak Industrial Estate Maesbury Road, Oswestry, Shropshire, SY10 8GA. UK

T: +44 (0) 1691 654 966 F: +44 (0) 1691 661 726 info@globestock.co.uk www.globestock.co.uk @Globestock_Ltd

PL: 24, Issue: 02. Page 5 of 5. Globestock Ltd reserve the right to change specifications without prior notice. © Globestock 2017.